

Item/Part #	Description	Max Charge	Max Cont. Discharge	Max Burst Discharge	Max			Weight (grams)	Dimensions H x W x L (mm)
					Charge Current	Max Cont. Current	Max Burst Current		
250-1SPX25J	250mAh 1S 3.7V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.2A	6.2A	12.5A	7.3	16 x 17 x 40
250-2SPX25J	250mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.2A	6.2A	12.5A	14.7	12 x 17 x 40
250-3SPX25J	250mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.2A	6.2A	12.5A	22	17 x 17 x 40
380-1SPX25J	380mAh 1S 3.7V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.9A	9.5A	19A	11	8 x 20 x 40
380-2SPX25J	380mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.9A	9.5A	19A	22	16 x 20 x 40
380-3SPX25J	380mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	1.9A	9.5A	19A	32.3	23 x 20 x 40
500-2SPX25J	500mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	2.5A	12.5A	25A	29.8	9 x 30 x 53
500-3SPX25J	500mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	2.5A	12.5A	25A	43.8	13 x 30 x 53
750-2SPX25J	750mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	3.7A	18.7A	37.5A	39	12 x 31 x 55
750-3SPX25J	750mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	3.7A	18.7A	37.5A	56.5	18 x 31 x 55
910-2SPX25J	910mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	4.5A	22.7A	45.5A	46.9	13 x 25 x 71
910-3SPX25J	910mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	4.5A	22.7A	45.5A	68.9	19 x 25 x 71
1350-2SPX25J	1350mAh 2S 7.4V ProLite X 25C LiPo, JST Connector	5C	25C	50C	6.7A	33.7A	67.5A	61.1	13 x 34 x 68
1350-3SPX25J	1350mAh 3S 11.1V ProLite X 25C LiPo, JST Connector	5C	25C	50C	6.7A	33.7A	67.5A	94.2	20 x 34 x 68
1350-2SPX25	1350mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	6.7A	33.7A	67.5A	64	13 x 34 x 68
1350-3SPX25	1350mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	6.7A	33.7A	67.5A	95	20 x 34 x 68
1350-4SPX25	1350mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	6.7A	33.7A	67.5A	125.7	26 x 34 x 68
1350-5SPX25	1350mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	6.7A	33.7A	67.5A	157	32 x 34 x 68
2200-2SPX25	2200mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	11A	55A	110A	106.6	14 x 35 x 102
2200-3SPX25	2200mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	11A	55A	110A	150.5	21 x 35 x 102
2200-4SPX25	2200mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	11A	55A	110A	197.2	27 x 35 x 102
2800-2SPX25	2800mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	14A	70A	140A	123.3	17 x 34 x 102
2800-3SPX25	2800mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	14A	70A	140A	181.2	24 x 34 x 102
2800-4SPX25	2800mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	14A	70A	140A	234.2	32 x 34 x 102
2800-5SPX25	2800mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	14A	70A	140A	290	40 x 34 x 102
2800-6SPX25	2800mAh 6S 22.2V ProLite X 25C LiPo	5C	25C	50C	14A	70A	140A	351.3	48 x 34 x 102
3400-2SPX25	3400mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	166.1	13 x 43 x 135
3400-3SPX25	3400mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	252	19 x 43 x 135
3400-4SPX25	3400mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	325.6	26 x 43 x 135
3400-5SPX25	3400mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	406.6	32 x 43 x 135
3400-6SPX25	3400mAh 6S 22.2V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	477.5	38 x 43 x 135
3400-6SPX25L	3400mAh 6S 22.2V ProLite X 25C LiPo, Long	5C	25C	50C	17A	85A	170A	487.5	19 x 43 x 271
3400-7SPX25	3400mAh 7S 25.9V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	545.9	44 x 43 x 135
3400-8SPX25	3400mAh 8S 29.6V ProLite X 25C LiPo	5C	25C	50C	17A	85A	170A	611.4	50 x 43 x 135
3400-8SPX25L	3400mAh 8S 29.6V ProLite X 25C LiPo, Long	5C	25C	50C	17A	85A	170A	621.4	26 x 43 x 271
4000-2SPX25	4000mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	20A	100A	200A	155.5	15 x 39 x 136
4000-3SPX25	4000mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	20A	100A	200A	268.6	21 x 39 x 136
4000-4SPX25	4000mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	20A	100A	200A	356	28 x 39 x 136
4000-5SPX25	4000mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	20A	100A	200A	435	35 x 39 x 136
4000-6SPX25	4000mAh 6S 22.2V ProLite X 25C LiPo	5C	25C	50C	20A	100A	200A	526.4	42 x 39 x 136
4000-6SPX25L	4000mAh 6S 22.2V ProLite X 25C LiPo, Long	5C	25C	50C	20A	100A	200A	536.4	21 x 39 x 272
4000-7SPX25	4000mAh 7S 25.9V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	20A	100A	200A	614.2	49 x 39 x 136
4000-8SPX25	4000mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	20A	100A	200A	701.9	56 x 39 x 136
4000-8SPX25L	4000mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	20A	100A	200A	711.9	28 x 39 x 272
4000-9SPX25	4000mAh 9S 33.3V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	20A	100A	200A	789.7	62 x 39 x 136
4000-10SPX25	4000mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	20A	100A	200A	877.4	70 x 39 x 136
4000-10SPX25L	4000mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	20A	100A	200A	887.4	35 x 39 x 272
4400-2SPX25	4400mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	22A	110A	220A	205	16 x 43 x 136
4400-3SPX25	4400mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	22A	110A	220A	306	24 x 43 x 136
4400-4SPX25	4400mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	22A	110A	220A	406.2	32 x 43 x 136
4400-5SPX25	4400mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	22A	110A	220A	505	40 x 43 x 136
4400-6SPX25	4400mAh 6S 22.2V ProLite X 25C LiPo	5C	25C	50C	22A	110A	220A	601	48 x 43 x 136
4400-6SPX25L	4400mAh 6S 22.2V ProLite X 25C LiPo, Long	5C	25C	50C	22A	110A	220A	611	24 x 43 x 272
4400-7SPX25	4400mAh 7S 25.9V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	22A	110A	220A	701.2	55 x 43 x 136
4400-8SPX25	4400mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	22A	110A	220A	801.3	63 x 43 x 136
4400-8SPX25L	4400mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	22A	110A	220A	811.3	32 x 43 x 272
4400-9SPX25	4400mAh 9S 33.3V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	22A	110A	220A	901.5	71 x 43 x 136
4400-10SPX25	4400mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	22A	110A	220A	994.4	78 x 43 x 136
4400-10SPX25L	4400mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	22A	110A	220A	1004.4	40 x 43 x 272
5000-2SPX25	5000mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	25A	125A	250A	237.1	19 x 43 x 136
5000-3SPX25	5000mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	25A	125A	250A	348.6	28 x 43 x 136
5000-4SPX25	5000mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	25A	125A	250A	464.8	37 x 43 x 136
5000-5SPX25	5000mAh 5S 18.5V ProLite X 25C LiPo	5C	25C	50C	25A	125A	250A	574	46 x 43 x 136
5000-6SPX25	5000mAh 6S 22.2V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	25A	125A	250A	695.3	55 x 43 x 136
5000-6SPX25L	5000mAh 6S 22.2V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	25A	125A	250A	705.3	28 x 43 x 272
5000-7SPX25	5000mAh 7S 25.9V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	25A	125A	250A	813.3	64 x 43 x 136
5000-8SPX25	5000mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	25A	125A	250A	929.5	74 x 43 x 136
5000-8SPX25L	5000mAh 8S 29.6V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	25A	125A	250A	939.5	37 x 43 x 272
5000-9SPX25	5000mAh 9S 33.3V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	25A	125A	250A	1045.7	82 x 43 x 136
5000-10SPX25	5000mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	25A	125A	250A	1161.9	92 x 43 x 136
5000-10SPX25L	5000mAh 10S 37V ProLite X 25C LiPo, Split w/Interconnect, Long	5C	25C	50C	25A	125A	250A	1171.9	46 x 43 x 272
6000-2SPX25	6000mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	30A	150A	300A	TBD	TBD
6000-3SPX25	6000mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	30A	150A	300A	TBD	TBD
6000-4SPX25	6000mAh 4S 14.8V ProLite X 25C LiPo	5C	25C	50C	30A	150A	300A	TBD	TBD
6000-5SPX25	6000mAh 5S 18.5V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	30A	150A	300A	TBD	TBD
6000-6SPX25	6000mAh 6S 22.2V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	30A	150A	300A	TBD	TBD
6800-2SPX25	6800mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	34A	170A	340A	325.6	25 x 43 x 138
6800-3SPX25	6800mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	34A	170A	340A	483.6	38 x 43 x 138
6800-4SPX25	6800mAh 4S 14.8V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	34A	170A	340A	618.6	50 x 43 x 138
6800-5SPX25	6800mAh 5S 18.5V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	34A	170A	340A	771.4	62 x 43 x 138
6800-6SPX25	6800mAh 6S 22.2V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	34A	170A	340A	907.2	75 x 43 x 138
8000-2SPX25	8000mAh 2S 7.4V ProLite X 25C LiPo	5C	25C	50C	40A	200A	400A	350.4	28 x 43 x 139
8000-3SPX25	8000mAh 3S 11.1V ProLite X 25C LiPo	5C	25C	50C	40A	200A	400A	525.6	42 x 43 x 139
8000-4SPX25	8000mAh 4S 14.8V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	40A	200A	400A	700.8	56 x 43 x 139
8000-5SPX25	8000mAh 5S 18.5V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	40A	200A	400A	858.8	70 x 43 x 139
8000-6SPX25	8000mAh 6S 22.2V ProLite X 25C LiPo, Split w/Interconnect	5C	25C	50C	40A	200A	400A	1022.7	84 x 43 x 139

Item/Part #	Description	Max Charge	Max Cont. Discharge	Max Burst Discharge	Max			Weight (grams)	Dimensions H x W x L (mm)
					Charge Current	Max Cont. Current	Max Burst Current		
900-2SPXRX	900mAh 2S 7.4V ProLite X Rr LiPo	4C**	20C**	40C**	3.6A**	18A**	Limited	47	13 x 25 x 71
1350-2SPXRX	1350mAh 2S 7.4V ProLite X Rr LiPo	4C**	20C**	40C**	3.6A**	27A**	Limited	64	13 x 34 x 68
2000-2SPXRX	2000mAh 2S 7.4V ProLite X Rr LiPo	4C**	20C**	40C**	5.4A**	40A**	Limited	86.3	13 x 45 x 75
2800-2SPXRX	2800mAh 2S 7.4V ProLite X Rr LiPo	4C	20C	40C**	11.2A**	56A**	Limited	126.8	17 x 34 x 102
4000-2SPXRX	4000mAh 2S 7.4V ProLite X Rr LiPo	4C	20C	40C**	16A**	80A**	Limited	169.2	25 x 45 x 74
5500-2SPXRX	5500mAh 2S 7.4V ProLite X Rr LiPo	4C	20C	40C**	22A**	110A**	Limited	239	32 x 34 x 104
Item/Part #	Description	Max Charge	Max Cont. Discharge	Max Burst Discharge	Max			Weight (grams)	Dimensions H x W x L (mm)
					Charge Current	Max Cont. Current	Max Burst Current		
325-1SE55J	325mAh 1S 3.7V Elite 55C LiPo, JST Connector	8C	55C	100C	2.6A	17.8A	35.6A	12.3	6 x 25 x 45
325-2SE55J	325mAh 2S 7.4V Elite 55C LiPo, JST Connector	8C	55C	100C	2.6A	17.8A	35.6A	23.5	11 x 25 x 45
325-3SE55J	325mAh 3S 11.1V Elite 55C LiPo, JST Connector	8C	55C	100C	2.6A	17.8A	35.6A	35.2	15 x 25 x 45
870-2SE55J	870mAh 2S 7.4V Elite 55C LiPo, JST Connector	8C	55C	100C	6.9A	47.8A	95.7A	49	14 x 30 x 62
870-3SE55J	870mAh 3S 11.1V Elite 55C LiPo, JST Connector	8C	55C	100C	6.9A	47.8A	95.7A	73.3	20 x 30 x 62
870-2SE55	870mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	6.9A	47.8A	95.7A	50.5	14 x 30 x 62
870-3SE55	870mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	6.9A	47.8A	95.7A	75.8	20 x 30 x 62
1300-2SE55	1300mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	10.4A	71.5A	143A	73.5	12 x 30 x 100
1300-3SE55	1300mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	10.4A	71.5A	143A	109.8	17 x 30 x 100
1300-4SE55	1300mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	10.4A	71.5A	143A	146.4	23 x 30 x 100
1800-2SE55	1800mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	14.4A	99A	198A	100	16 x 30 x 99
1800-3SE55	1800mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	14.4A	99A	198A	150	24 x 30 x 99
1800-4SE55	1800mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	14.4A	99A	198A	196	31 x 30 x 99
2250-2SE55	2250mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	18A	123.8A	247.5A	119.1	16 x 35 x 104
2250-3SE55	2250mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	18A	123.8A	247.5A	178.7	24 x 35 x 104
2250-4SE55	2250mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	18A	123.8A	247.5A	236	31 x 35 x 104
2250-5SE55	2250mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	18A	123.8A	247.5A	287.2	39 x 35 x 104
2250-6SE55	2250mAh 6S 22.2V Elite 55C LiPo	8C	55C	100C	18A	123.8A	247.5A	344.6	46 x 35 x 104
2700-2SE55	2700mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	21.6A	148.5A	297A	145.8	14 x 39 x 129
2700-3SE55	2700mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	21.6A	148.5A	297A	216	20 x 39 x 129
2700-4SE55	2700mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	21.6A	148.5A	297A	284	26 x 39 x 129
2700-5SE55	2700mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	21.6A	148.5A	297A	347.9	33 x 39 x 129
2700-6SE55	2700mAh 6S 22.2V Elite 55C LiPo	8C	55C	100C	21.6A	148.5A	297A	409.1	39 x 39 x 129
3300-2SE55	3300mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	177.4	14 x 43 x 137
3300-3SE55	3300mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	265	20 x 43 x 137
3300-4SE55	3300mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	347.7	27 x 43 x 137
3300-5SE55	3300mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	431.5	33 x 43 x 137
3300-6SE55	3300mAh 6S 22.2V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	510	40 x 43 x 137
3300-6SE55L	3300mAh 6S 22.2V Elite 55C LiPo, Long	8C	55C	100C	26.4A	181.5A	363A	516	20 x 43 x 275
3300-7SE55	3300mAh 7S 25.9V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	589.9	46 x 43 x 137
3300-8SE55	3300mAh 8S 29.6V Elite 55C LiPo	8C	55C	100C	26.4A	181.5A	363A	674.1	53 x 43 x 137
3300-8SE55L	3300mAh 8S 29.6V Elite 55C LiPo, Long	8C	55C	100C	26.4A	181.5A	363A	684.1	27 x 43 x 275
3300-9SE55	3300mAh 9S 33.3V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	26.4A	181.5A	363A	758.4	59 x 43 x 137
3300-10SE55	3300mAh 10S 37V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	26.4A	181.5A	363A	842.7	66 x 43 x 137
3300-10SE55L	3300mAh 10S 37V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	26.4A	181.5A	363A	852.7	33 x 43 x 275
3850-2SE55	3850mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	30.8A	211.8A	423.5A	207.7	16 x 44 x 137
3850-3SE55	3850mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	30.8A	211.8A	423.5A	310.3	24 x 44 x 137
3850-4SE55	3850mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	30.8A	211.8A	423.5A	407	32 x 44 x 137
3850-5SE55	3850mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	30.8A	211.8A	423.5A	499.8	39 x 44 x 137
3850-6SE55	3850mAh 6S 22.2V Elite 55C LiPo	8C	55C	100C	30.8A	211.8A	423.5A	599.8	47 x 44 x 137
3850-6SE55L	3850mAh 6S 22.2V Elite 55C LiPo, Long	8C	55C	100C	30.8A	211.8A	423.5A	609.8	24 x 44 x 275
3850-7SE55	3850mAh 7S 25.9V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	30.8A	211.8A	423.5A	699.7	55 x 44 x 137
3850-8SE55	3850mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	30.8A	211.8A	423.5A	799.7	62 x 44 x 137
3850-8SE55L	3850mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	30.8A	211.8A	423.5A	809.7	32 x 44 x 275
3850-9SE55	3850mAh 9S 33.3V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	30.8A	211.8A	423.5A	881.6	70 x 44 x 137
3850-10SE55	3850mAh 10S 37V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	30.8A	211.8A	423.5A	979.6	78 x 44 x 137
3850-10SE55L	3850mAh 10S 37V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	30.8A	211.8A	423.5A	989.6	39 x 44 x 275
4400-2SE55	4400mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	35.2A	242A	484A	233.3	15 x 46 x 156
4400-3SE55	4400mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	35.2A	242A	484A	349.9	26 x 46 x 156
4400-4SE55	4400mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	35.2A	242A	484A	466.5	29 x 46 x 156
4400-5SE55	4400mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	35.2A	242A	484A	571.5	36 x 46 x 156
4400-6SE55	4400mAh 6S 22.2V Elite 55C LiPo	8C	55C	100C	35.2A	242A	484A	673.2	43 x 46 x 156
4400-6SE55L	4400mAh 6S 22.2V Elite 55C LiPo, Long	8C	55C	100C	35.2A	242A	484A	683.2	22 x 46 x 312
4400-7SE55	4400mAh 7S 25.9V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	35.2A	242A	484A	800.1	50 x 46 x 156
4400-8SE55	4400mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	35.2A	242A	484A	914.4	58 x 46 x 156
4400-8SE55L	4400mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	35.2A	242A	484A	924.4	29 x 46 x 312
4400-9SE55	4400mAh 9S 33.3V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	35.2A	242A	484A	1028.7	64 x 46 x 156
4400-10SE55	4400mAh 10S 37V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	35.2A	242A	484A	1143	72 x 46 x 156
4400-10SE55L	4400mAh 10S 37V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	35.2A	242A	484A	1153	36 x 46 x 312
5000-2SE55	5000mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	40A	275A	550A	263.8	16 x 46 x 154
5000-3SE55	5000mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	40A	275A	550A	389.5	24 x 46 x 154
5000-4SE55	5000mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	40A	275A	550A	506	32 x 46 x 154
5000-5SE55	5000mAh 5S 18.5V Elite 55C LiPo	8C	55C	100C	40A	275A	550A	659.6	39 x 46 x 154
5000-6SE55	5000mAh 6S 22.2V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	40A	275A	550A	781.5	47 x 46 x 154
5000-6SE55L	5000mAh 6S 22.2V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	40A	275A	550A	791.5	24 x 46 x 307
5000-7SE55	5000mAh 7S 25.9V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	40A	275A	550A	904.2	58 x 46 x 154
5000-8SE55	5000mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	40A	275A	550A	1033.4	62 x 46 x 154
5000-8SE55L	5000mAh 8S 29.6V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	40A	275A	550A	1043.4	32 x 46 x 307
5000-9SE55	5000mAh 9S 33.3V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	40A	275A	550A	1162.5	70 x 46 x 154
5000-10SE55	5000mAh 10S 37V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	40A	275A	550A	1291.7	78 x 46 x 154
5000-10SE55L	5000mAh 10S 37V Elite 55C LiPo, Split w/Interconnect, Long	8C	55C	100C	40A	275A	550A	1301.7	39 x 46 x 307
6600-2SE55	6600mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	52.8A	363A	726A	347.7	27 x 43 x 136
6600-3SE55	6600mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	52.8A	363A	726A	507.5	40 x 43 x 136
6600-4SE55	6600mAh 4S 14.8V Elite 55C LiPo	8C	55C	100C	52.8A	363A	726A	672	53 x 43 x 136
6600-5SE55	6600mAh 5S 18.5V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	52.8A	363A	726A	845.7	66 x 43 x 136
6600-6SE55	6600mAh 6S 22.2V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	52.8A	363A	726A	999.6	79 x 43 x 136
7700-2SE55	7700mAh 2S 7.4V Elite 55C LiPo	8C	55C	100C	61.6A	423.5A	847A	415.4	32 x 44 x 137
7700-3SE55	7700mAh 3S 11.1V Elite 55C LiPo	8C	55C	100C	61.6A	423.5A	847A	600.5	47 x 44 x 137
7700-4SE55	7700mAh 4S 14.8V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	61.6A	423.5A	847A	780.2	62 x 44 x 137
7700-5SE55	7700mAh 5S 18.5V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	61.6A	423.5A	847A	975.3	78 x 44 x 137
7700-6SE55	7700mAh 6S 22.2V Elite 55C LiPo, Split w/Interconnect	8C	55C	100C	61.6A	423.5A	847A	1170.3	93 x 44 x 137

Item/Part #	Description	Max Charge	Max Cont. Discharge	Max Burst Discharge	Max			Weight (grams)	Dimensions H x W x L (mm)
					Charge Current	Max Cont. Current	Max Burst Current		
325-1SR70J	325mAh 1S 3.7V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	3.9A	22.75A	45.5A	12.3	5 x 25 x 45
325-2SR70J	325mAh 2S 7.4V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	3.9A	22.75A	45.5A	23.0	11 x 25 x 45
325-3SR70J	325mAh 3S 11.1V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	3.9A	22.75A	45.5A	35.2	15 x 25 x 45
450-3SR70J	450mAh 3S 11.1V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	5.4A	31.5A	63A	44.0	13 x 30 x 53
870-2SR70J	870mAh 2S 7.4V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	10.4A	60.9A	121.8A	49.5	13 x 30 x 62
870-3SR70J	870mAh 3S 11.1V Rampage Series 70C LiPo, JST Connector	12C	70C	140C	10.4A	60.9A	121.8A	73.8	20 x 30 x 62
870-2SR70	870mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	10.4A	60.9A	121.8A	50.5	14 x 30 x 62
870-3SR70	870mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	10.4A	60.9A	121.8A	75.8	20 x 30 x 62
870-4SR70	870mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	10.4A	60.9A	121.8A	101.1	27 x 30 x 62
1300-2SR70	1300mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	15.6A	91A	182A	73.5	12 x 30 x 100
1300-3SR70	1300mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	15.6A	91A	182A	109.0	17 x 30 x 100
1300-4SR70	1300mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	15.6A	91A	182A	142.4	23 x 30 x 100
1300-6SR70	1300mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	15.6A	91A	182A	205.2	34 x 30 x 100
1800-2SR70	1800mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	21.6A	126A	252A	100.0	16 x 30 x 99
1800-3SR70	1800mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	21.6A	126A	252A	150.0	24 x 30 x 99
1800-4SR70	1800mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	21.6A	126A	252A	196.0	31 x 30 x 99
1800-5SR70	1800mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	21.6A	126A	252A	244.0	38 x 30 x 99
1800-6SR70	1800mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	21.6A	126A	252A	291.0	46 x 30 x 99
2250-2SR70	2250mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	27A	157.5A	315A	119.3	18 x 34 x 102
2250-3SR70	2250mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	27A	157.5A	315A	178.7	26 x 34 x 102
2250-4SR70	2250mAh 4S 14.8V Rampage Series 70C LiPo, Flat Configuration	12C	70C	140C	21.6A	157.5A	315A	236.0	35 x 34 x 102
2250-5SR70	2250mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	27A	157.5A	315A	289.1	43 x 34 x 102
2250-6SR70	2250mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	27A	157.5A	315A	346.9	52 x 34 x 102
2700-2SR70	2700mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	32.4A	189A	378A	145.8	14 x 39 x 129
2700-3SR70	2700mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	32.4A	189A	378A	216.0	20 x 39 x 129
2700-4SR70	2700mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	32.4A	189A	378A	284.0	26 x 39 x 129
2700-5SR70	2700mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	32.4A	189A	378A	347.9	33 x 39 x 129
2700-6SR70	2700mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	32.4A	189A	378A	409.1	39 x 39 x 128
3300-2SR70	3300mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	177.3	14 x 43 x 141
3300-3SR70	3300mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	265.9	20 x 43 x 141
3300-4SR70	3300mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	353.0	27 x 43 x 141
3300-5SR70	3300mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	432.0	33 x 43 x 141
3300-6SR70	3300mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	515.4	40 x 43 x 141
3300-6SR70L	3300mAh 6S 22.2V Rampage Series 70C LiPo, Long	12C	70C	140C	39.6A	231A	462A	525.4	20 x 43 x 282
3300-7SR70	3300mAh 7S 25.9V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	601.3	46 x 43 x 141
3300-8SR70	3300mAh 8S 29.6V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	687.2	53 x 43 x 141
3300-8SR70L	3300mAh 8S 29.6V Rampage Series 70C LiPo	12C	70C	140C	39.6A	231A	462A	697.2	53 x 43 x 282
3300-9SR70	3300mAh 9S 33.3V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	39.6A	231A	462A	773.0	59 x 43 x 141
3300-10SR70	3300mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	39.6A	231A	462A	859.0	66 x 43 x 141
3300-10SR70L	3300mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	39.6A	231A	462A	869.0	33 x 43 x 282
3850-2SR70	3850mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	46.2A	269.5A	539A	207.7	16 x 44 x 138
3850-3SR70	3850mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	46.2A	269.5A	539A	310.3	24 x 44 x 138
3850-4SR70	3850mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	46.2A	269.5A	539A	407.0	32 x 44 x 138
3850-5SR70	3850mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	46.2A	269.5A	539A	499.8	39 x 44 x 138
3850-6SR70	3850mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	46.2A	269.5A	539A	599.8	47 x 44 x 138
3850-6SR70L	3850mAh 6S 22.2V Rampage Series 70C LiPo, Long	12C	70C	140C	46.2A	269.5A	539A	609.8	24 x 44 x 275
3850-7SR70	3850mAh 7S 25.9V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	46.2A	269.5A	539A	699.7	54 x 44 x 138
3850-8SR70	3850mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	46.2A	269.5A	539A	799.7	62 x 44 x 138
3850-8SR70L	3850mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	46.2A	269.5A	539A	809.7	32 x 44 x 275
3850-9SR70	3850mAh 9S 33.3V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	46.2A	269.5A	539A	881.6	70 x 44 x 138
3850-10SR70	3850mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	46.2A	269.5A	539A	979.6	78 x 44 x 138
3850-10SR70L	3850mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	46.2A	269.5A	539A	979.6	39 x 44 x 275
4400-2SR70	4400mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	52.8A	308A	616A	232.5	16 x 45 x 155
4400-3SR70	4400mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	52.8A	308A	616A	348.8	24x 45 x 155
4400-4SR70	4400mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	52.8A	308A	616A	465.0	31 x 45 x 155
4400-5SR70	4400mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	52.8A	308A	616A	579.8	39 x 45 x 155
4400-6SR70	4400mAh 6S 22.2V Rampage Series 70C LiPo	12C	70C	140C	52.8A	308A	616A	690.7	46 x 45 x 155
4400-6SR70L	4400mAh 6S 22.2V Rampage Series 70C LiPo, Long	12C	70C	140C	52.8A	308A	616A	700.7	24 x 45 x 311
4400-7SR70	4400mAh 7S 25.9V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	52.8A	308A	616A	805.8	54 x 45 x 155
4400-8SR70	4400mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	52.8A	308A	616A	920.9	62 x 45 x 155
4400-8SR70L	4400mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	52.8A	308A	616A	930.9	31 x 45 x 311
4400-9SR70	4400mAh 9S 33.3V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	52.8A	308A	616A	1036.1	69 x 45 x 155
4400-10SR70	4400mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	52.8A	308A	616A	1120.0	77 x 45 x 155
4400-10SR70L	4400mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	52.8A	308A	616A	1131.0	39 x 45 x 311
5000-2SR70	5000mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	60A	350A	700A	268.6	17 x 46 x 156
5000-3SR70	5000mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	60A	350A	700A	388.8	25 x 46 x 156
5000-4SR70	5000mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	60A	350A	700A	515.0	33 x 46 x 156
5000-5SR70	5000mAh 5S 18.5V Rampage Series 70C LiPo	12C	70C	140C	60A	350A	700A	650.0	41 x 46 x 156
5000-6SR70	5000mAh 6S 22.2V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	60A	350A	700A	795.5	49 x 46 x 156
5000-6SR70L	5000mAh 6S 22.2V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	60A	350A	700A	805.5	25 x 46 x 313
5000-7SR70	5000mAh 7S 25.9V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	60A	350A	700A	917.6	57 x 46 x 156
5000-8SR70	5000mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	60A	350A	700A	1035.6	66 x 46 x 156
5000-8SR70L	5000mAh 8S 29.6V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	60A	350A	700A	1046.6	33 x 46 x 313
5000-9SR70	5000mAh 9S 33.3V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	60A	350A	700A	1165.1	74 x 46 x 156
5000-10SR70	5000mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	60A	350A	700A	1294.5	82 x 46 x 156
5000-10SR70L	5000mAh 10S 37V Rampage Series 70C LiPo, Split w/Interconnect, Long	12C	70C	140C	60A	350A	700A	1306.6	41 x 46 x 313
6600-2SR70	6600mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	79.2A	462A	924A	351.5	27 x 43 x 137
6600-3SR70	6600mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	79.2A	462A	924A	527.3	40 x 43 x 137
6600-4SR70	6600mAh 4S 14.8V Rampage Series 70C LiPo	12C	70C	140C	79.2A	462A	924A	675.5	53 x 43 x 137
6600-5SR70	6600mAh 5S 18.5V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	79.2A	462A	924A	857.0	66 x 43 x 137
6600-6SR70	6600mAh 6S 22.2V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	79.2A	462A	924A	1043.5	79 x 43 x 137
7700-2SR70	7700mAh 2S 7.4V Rampage Series 70C LiPo	12C	70C	140C	92.4A	539A	1078A	415.4	32 x 44 x 137
7700-3SR70	7700mAh 3S 11.1V Rampage Series 70C LiPo	12C	70C	140C	92.4A	539A	1078A	600.5	47 x 44 x 137
7700-4SR70	7700mAh 4S 14.8V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	92.4A	539A	1078A	780.2	62 x 44 x 137
7700-5SR70	7700mAh 5S 18.5V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	92.4A	539A	1078A	975.3	78 x 44 x 137
7700-6SR70	7700mAh 6S 22.2V Rampage Series 70C LiPo, Split w/Interconnect	12C	70C	140C	92.4A	539A	1078A	1170.3	83 x 43 x 137