

Section 4.0

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-1/(4-2 Blank)	G

Franklin

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
4A-235-B31 (32°, 116HP)	4392	4392	
4A-235-B4 (26°, 125HP)	4392	4392	
6A-350-C1 (28°, 220HP)	6399	6399	
6A-350-C1A (28°, 220HP)	6399	6399	
6A-350-C2 (28°, 215HP)	6399	6399	
6A-350-C2A (28°, 212HP)	6399	6399	
6A-350-D1 (28°, 200HP)	6399	6399	
6A-350-D1A (28°, 230HP)	6399	6399	
6A-350-D1B (28°, 220HP)	6399	6399	
6A4-150-B3 (28°, 150HP)	6399	6399	
6A4-150-B31 (28°, 150HP)	6399	6399	
6A4-150-B4 (28°, 150HP)	6399	6399	
6A4-165-B3 (32°, 165HP)	6399	6399	
6A4-165-B4 (32°, 165HP)	6399	6399	
6A4-165-B6 (32°, 165HP)	6399	6399	

MAGNETO APPLICATION

Great Plains

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
GREAT PLAINS-Volkswagen (30°, 65HP)	4316		
Type 1-1600 (25°, 57HP)	4316		
Type 1-1835 (25°, 65HP)	4316		
Type 1-2180 (25°, 76HP)	4316		
Type 4-2400 (25°, 85HP)	4316		

Grob

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
Grob-Volkswagen (30°, 65HP)	4330	4330	

HAPI

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
HAPI-Volkswagen-E (30°, 65HP)	4316	4316	
HAPI-Volkswagen-G (30°, 65HP)	4316	4316	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-3	G

LIMBACH

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
LIMBACH-Volkswagen (30°,65HP)	4330	4330	

Monnett

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
MONNETT-Volkswagen (30°,65HP)	4316	4316	

Mosler

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
MOSLER-Volkswagen (30°,65HP)	4316	4316	

Superior Air Parts

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
IO-360 (25°,180HP)	4371	4371	
O-360 (25°,180HP)	4371	4371	

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
A-65-1 (30°,65HP)	4333; 4302	4333; 4302	4
A-65-12 (30°,65HP)	4302	4302	
A-65-12F (30°,65HP)	4302	4302	
A-65-12FJ (30°,65HP)	4302	4302	
A-65-12J (30°,65HP)	4302	4302	
A-65-14 (30°,75HP)	4302	4302	
A-65-14F (30°,75HP)	4302	4302	
A-65-14FJ (30°,75HP)	4302	4302	
A-65-14J (30°,75HP)	4302	4302	
A-65-3 (30°,65HP)	4333; 4302	4333; 4302	4
A-65-6 (30°,65HP)	4333; 4302	4333; 4302	4

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-4	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
A-65-6J (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-7 (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-8 (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-8F (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-8FJ (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-8J (30°, 65HP)	4333; 4302	4333; 4302	4
A-65-9 (30°, 65HP)	4302	4302	
A-65-9F (30°, 65HP)	4302	4302	
A-65-9FJ (30°, 65HP)	4302	4302	
A-65-9J (30°, 65HP)	4302	4302	
A-75-3 (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-6 (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-6J (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-8 (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-8F (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-8FJ (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-8J (30°, 75HP)	4333; 4302	4333; 4302	4
A-75-9 (30°, 75HP)	4302	4302	
A-75-9J (30°, 75HP)	4302	4302	
C-145-2 (26°, 145HP)	6364; 664	6364; 664	
C-145-2H (26°, 145HP)	6364; 664	6364; 664	
C-145-2HP (26°, 145HP)	6364; 664	6364; 664	
C-75-12 (30°, 75HP)	4301	4301	5
C-75-12F (30°, 75HP)	4301	4301	5
C-75-12FH (30°, 75HP)	4301	4301	5
C-75-12FHJ (30°, 75HP)	4301	4301	5
C-75-12FJ (30°, 75HP)	4301	4301	5
C-75-12J (30°, 75HP)	4301	4301	5
C-75-15 (30°, 75HP)	4301	4301	5
C-75-15F (30°, 75HP)	4301	4301	5
C-75-8 (30°, 75HP)	4333; 4330	4333; 4330	4
C-75-8F (30°, 75HP)	4333; 4330	4333; 4330	4
C-75-8FH (30°, 75HP)	4333; 4330	4333; 4330	4
C-75-8FHJ (30°, 75HP)	4333; 4330	4333; 4330	4
C-75-8FJ (30°, 75HP)	4333; 4330	4333; 4330	4
C-75-8J (30°, 75HP)	4333; 4330	4333; 4330	4
C-85-12 (30°, 85HP)	4301	4301	5
C-85-12F (30°, 85HP)	4301	4301	5
C-85-12FH (30°, 85HP)	4301	4301	5
C-85-12FHJ (30°, 85HP)	4301	4301	5
C-85-12FJ (30°, 85HP)	4301	4301	5
C-85-12J (30°, 85HP)	4301	4301	5
C-85-14 (30°, 85HP)	4301	4301	5
C-85-14F (30°, 85HP)	4301	4301	5

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-5	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
C-85-15 (30°, 85HP)	4301	4301	5
C-85-15F (30°, 85HP)	4301	4301	5
C-85-8 (30°, 85HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-85-8F (30°, 85HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-85-8FHJ (30°, 87HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-85-8FJ (30°, 87HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-85-8J (30°, 87HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-90-12F (25°, 95HP)	4301	4301	5
C-90-12FH (25°, 95HP)	4301	4301	5
C-90-12FJ (25°, 95HP)	4301	4301	5
C-90-12FP (25°, 95HP)	4301	4301	5
C-90-14F (25°, 95HP)	4301	4301	5
C-90-14FH (25°, 95HP)	4301	4301	5
C-90-14FJ (25°, 95HP)	4301	4301	5
C-90-16F (25°, 95HP)	4301	4301	5
C-90-8F (25°, 95HP)	4333; 4330; 4302	4333; 4330; 4302	4
C-90-8FJ (25°, 95HP)	4333; 4330; 4302	4333; 4330; 4302	4
E-165-2 (26°, 165HP)	6377; 6379	6377; 6379	8
E-165-3 (26°, 165HP)	6377; 6379	6377; 6379	8
E-165-4 (26°, 165HP)	6377; 6379	6377; 6379	8
E-185-1 (26°, 205HP)	6377; 6379	6377; 6379	8
E-185-10 (26°, 205HP)	6377; 6379	6377; 6379	8
E-185-11 (26°, 205HP)	6377; 6379	6377; 6379	8
E-185-2 (26°, 185HP)	6377; 6379	6377; 6379	8
E-185-3 (26°, 205HP)	6377; 6379	6377; 6379	8
E-185-5 (26°, 185HP)	6377; 6379	6377; 6379	8
E-185-8 (26°, 205HP)	6377; 6379	6377; 6379	8
E-185-9 (26°, 205HP)	6377; 6379	6377; 6379	8
E-225-2 (26°, 225HP)	6377; 6379	6377; 6379	8
E-225-4 (26°, 225HP)	6377; 6379	6377; 6379	8
E-225-8 (26°, 225HP)	6377; 6379	6377; 6379	8
E-225-9 (26°, 225HP)	6377; 6379	6377; 6379	8
GO-300-A (28°, 175HP)	6367; 667	6367; 667	
GO-300-B (28°, 175HP)	6367; 667	6367; 667	
GO-300-C (28°, 175HP)	6367; 667	6367; 667	
GO-300-D (28°, 175HP)	6367; 667	6367; 667	
GO-300-E (28°, 175HP)	6367; 667	6367; 667	
IO-240-B (26°, 125HP)	4309	4310	
IO-360-A (20°, 210HP)	6314	6314	7
IO-360-B (20°, 180HP)	6314	6314	7
IO-360-C (20°, 210HP)	6314	6314	7

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-6	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
IO-360-CB (20°,210HP)	6314	6314	7
IO-360-D (20°,210HP)	6314	6314	7
IO-360-DB (20°,210HP)	6314	6314	7
IO-360-E (20°,210HP)	6314	6314	7
IO-360-ES (24°,210HP)	6314	6314	7
IO-360-G (20°,210HP)	6314	6314	7
IO-360-GB (20°,210HP)	6314	6314	7
IO-360-H (20°,210HP)	6314	6314	7
IO-360-HB (20°,210HP)	6314	6314	7
IO-360-J (20°,210HP)	6314	6314	7
IO-360-JB (20°,210HP)	6314	6314	7
IO-360-K (20°,195HP)	6314	6314	7
IO-360-KB (20°,195HP)	6314	6314	7
IO-470-A (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-C (26°,250HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-D (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-E (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-F (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-G (26°,250HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-H (20°,260HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-J (22°,225HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-K (22°,225HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-L (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-LO (20°,260HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-M (20°,260HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-N (20°,260HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-P (26°,250HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-R (26°,250HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-470-S (20°,260HP)	6310; 6380; 6309; 6362; 6382; 662	6310; 6380; 6313; 6362; 6382; 662	
IO-470-T (26°,250HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-7	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
IO-470-U (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-V (20°,260HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-470-VO (20°,260HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-A (22°,285HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-B (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-BA (22°,285HP)	6310; 6380; 6309; 6362; 6382; 662	6310; 6380; 6313; 6362; 6382; 662	
IO-520-BB (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-C (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-CB (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-D (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-E (22°,300HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-F (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-J (22°,285HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-K (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-L (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-M (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-MB (22°,285HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
IO-520-N (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-520-NB (22°,300HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
IO-550-A (22°,300HP)	6310; 6309	6310; 6313	
IO-550-B (22°,300HP)	6310	6310	
IO-550-C (22°,300HP)	6310	6310	
IO-550-D (22°,300HP)	6310	6310	
IO-550-F (22°,300HP)	6310	6310	
IO-550-L (22°,300HP)	6310	6310	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-8	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
LTSIO-360-E (20°,200HP)	6320	6320	
LTSIO-360-EB (20°,200HP)	6320	6320	
LTSIO-360-KB (20°,220HP)	6320	6320	
LTSIO-360-RB (22°,220HP)	6320	6320	
LTSIO-520-AE (20°,250HP)	6324	6324	
O-200-A (25°,100HP)	4301	4301	5
O-200-B (25°,100HP)	4301	4301	5
O-200-C (25°,100HP)	4301	4301	5
O-300-A (26°,145HP)	6364; 664	6364; 664	
O-300-B (26°,145HP)	6364; 664	6364; 664	
O-300-C (26°,145HP)	6364; 664	6364; 664	
O-300-D (26°,145HP)	6364; 664	6364; 664	
O-300-E (26°,145HP)	6364; 664	6364; 664	
O-470-11 (26°,213HP)	6377; 6379	6377; 6379	8
O-470-11B (26°,213HP)	6377; 6379	6377; 6379	8
O-470-11B-C1 (26°,213HP)	6377; 6379	6377; 6379	8
O-470-11-C1 (26°,213HP)	6377; 6379	6377; 6379	8
O-470-13 (26°,225HP)	6377; 6379	6377; 6379	8
O-470-13A (26°,225HP)	6377; 6379	6377; 6379	8
O-470-15 (26°,213HP)	6377; 6379	6377; 6379	8
O-470-4 (26°,225HP)	6377; 6379	6377; 6379	8
O-470-A (26°,225HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-B (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-B-C1 (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-E (26°,225HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-G (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-G-C1 (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-H (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-J (20°,225HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-K (22°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-K-C1 (22°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-L (22°,230HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-9	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
O-470-L-C1 (22°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-M (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-M-C1 (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-N (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-P (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-R (22°,230HP)	6310; 6380; 6309; 6362; 6382; 680; 662	6310; 6380; 6313; 6362; 6382; 680; 662	
O-470-S (22°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-T (24°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
O-470-U (24°,230HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662	
TSIO-360-A (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-AB (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-B (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-BB (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-C (20°,225HP)	6324; 6314	6324; 6314	
TSIO-360-CB (20°,225HP)	6324; 6314	6324; 6314	
TSIO-360-D (20°,225HP)	6324; 6314	6324; 6314	
TSIO-360-DB (20°,225HP)	6324; 6314	6324; 6314	
TSIO-360-E (20°,200HP)	6324; 6314	6324; 6314	
TSIO-360-EB (20°,200HP)	6324; 6314	6324; 6314	
TSIO-360-F (20°,200HP)	6324; 6314	6324; 6314	
TSIO-360-FB (20°,200HP)	6324; 6314	6324; 6314	
TSIO-360-G (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-GB (20°,210HP)	6324	6324	
TSIO-360-H (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-HB (20°,210HP)	6324; 6314	6324; 6314	
TSIO-360-JB (20°,225HP)	6324; 6314	6324; 6314	
TSIO-360-KB (20°,220HP)	6324	6324	
TSIO-360-LB (20°,210HP)	6324	6324	
TSIO-360-MB (20°,210HP)	6324	6324	
TSIO-360-NB (20°,210HP)	6324	6324	
TSIO-360-PB (20°,200HP)	6324	6324	
TSIO-360-RB (22°,220HP)	6324	6324	
TSIO-360-SB (20°,220HP)	6324	6324	
TSIO-520-A (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-AE (20°,250HP)	6320	6320	
TSIO-520-AF (22°,310HP)	6320	6320	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-10	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
TSIO-520-B (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-BB (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-BE (24°,310HP)	6320; 680; 662	6320; 680; 662	
TSIO-520-C (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-CE (20°,325HP)	6320; 680; 662	6320; 680; 662	
TSIO-520-D (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-DB (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-E (20°,300HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-EB (20°,300HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-G (22°,300HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-H (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-J (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-JB (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-K (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-KB (20°,285HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-L (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-LB (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-M (22°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-N (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-NB (20°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-P (22°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-R (22°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-T (22°,310HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-U (22°,300HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-UB (22°,300HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-11	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
TSIO-520-VB (20°,325HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-520-WB (20°,325HP)	6310; 6380; 6320; 6362; 6382; 680; 662	6310; 6380; 6320; 6362; 6382; 680; 662	
TSIO-550-A (24°,360HP)	6320	6320	
TSIO-550-B (24°,350HP)	6320	6320	
TSIO-550-C (24°,310HP)	6320	6320	
TSIO-550-E (24°,350HP)	6320	6320	

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
AEIO-320-D1B (25°,160HP)	4373	4353; 4370; 4373	
AEIO-320-D2B (25°,160HP)	4373	4353; 4370; 4373	
AEIO-320-E1A (25°,150HP)	4373	4370; 4373	
AEIO-320-E1B (25°,150HP)	4371	4370; 4371	
AEIO-320-E2A (25°,150HP)	4373	4370; 4373	
AEIO-320-E2B (25°,150HP)	4371	4370; 4371	
AEIO-360-A1A (20°,200HP)	4345; 4347	4370	1
AEIO-360-A1A (25°,200HP)	4345; 4347	4370	1
AEIO-360-A1B (20°,200HP)	4372	4370; 4372	
AEIO-360-A1B (25°,200HP)	4373	4370; 4373	
AEIO-360-A1B6 (20°,200HP)	4372	4370; 4372	
AEIO-360-A1B6 (25°,200HP)	4373	4370; 4373	
AEIO-360-A1D (20°,200HP)	4372	4370; 4372	
AEIO-360-A1D (25°,200HP)	4373	4370; 4373	
AEIO-360-A1E (20°,200HP)	4372	4370; 4372	
AEIO-360-A1E (25°,200HP)	4373	4370; 4373	
AEIO-360-A2B (20°,200HP)	4371	4370; 4371	
AEIO-360-B1B (25°,180HP)	4347	4370	
AEIO-360-B1F (25°,180HP)	4373	4373	
AEIO-360-B1F6 (25°,180HP)	4371	4370; 4371	
AEIO-360-B1G6 (25°,180HP)	4371	4371	
AEIO-360-B2F (25°,180HP)	4373	4373	
AEIO-360-B2F6 (25°,180HP)	4371	4370; 4371	
AEIO-360-B4A (25°,180HP)	4373	4370; 4373	
AEIO-360-H1A (25°,180HP)	4371	4370; 4371	
AEIO-540-D4A5 (25°,260HP)	6393	6350	
AEIO-540-D4B5 (25°,260HP)	6351; 6393	6371; 6350; 6351	
AEIO-540-L1B5 (20°,300HP)	6393; 6351	6350	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-12	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
AIO-320-A1B (25°,160HP)	4373	4370; 4373	
AIO-320-A2B (25°,160HP)	4371	4370; 4371	
AIO-320-B1B (25°,160HP)	4373	4370; 4373	
AIO-320-C1B (25°,160HP)	4373	4370; 4373	
AIO-360-A1A (20°,200HP)	4372	4372	
AIO-360-A1B (20°,200HP)	4372	4370; 4372	
AIO-360-A2B (20°,200HP)	4371	4370; 4371	
AIO-360-B1B (20°,200HP)	4372	4370; 4372	
AIO-360-B1B (25°,200HP)	4373	4370; 4373	
HIO-360-D1A (20°,190HP)	4345	4345	1
HO-360-C1A (25°,180HP)	4347	4370	
IO-320-B1A (25°,160HP)	4373	4373	
IO-320-B1B (25°,160HP)	4371	4370; 4371	
IO-320-B1C (25°,160HP)	4373	4342; 4370; 4373	
IO-320-B1D (25°,160HP)	4347	4370	
IO-320-B2A (25°,160HP)	4373	4370; 4373	
IO-320-C1A - 1/2" (25°,160HP)	4373	4354; 4373	
IO-320-C1A - 13/16" (25°,160HP)	4373	4354; 4373	
IO-320-D1A (25°,160HP)	4373	4370; 4373	
IO-320-D1B (25°,160HP)	4373	4370; 4373	
IO-320-E1A (25°,150HP)	4373	4370; 4373	
IO-320-E1B (25°,150HP)	4371	4370; 4371	
IO-320-E2A (25°,150HP)	4373	4370; 4373	
IO-320-E2B (25°,150HP)	4371	4370; 4371	
IO-320-F1A (25°,160HP)	4373	4373	
IO-360-A1A (25°,200HP)	4347	4370	
IO-360-A1B (20°,200HP)	4372	4370; 4372	
IO-360-A1B (25°,200HP)	4373	4370; 4373	
IO-360-A1B6 (20°,200HP)	4372	4370; 4372	
IO-360-A1B6 (25°,200HP)	4373	4370; 4373	
IO-360-A1C (20°,200HP)	4345	4370	1
IO-360-A1D (20°,200HP)	4372	4370; 4372	
IO-360-A1D6 (20°,200HP)	4372	4370; 4372	
IO-360-A2A (20°,200HP)	4345	4342; 4370	
IO-360-A2B (20°,200HP)	4372	4370; 4372	
IO-360-A2B (25°,200HP)	4373	4370; 4373	
IO-360-A2C (20°,200HP)	4345	4370	1
IO-360-B1B (25°,180HP)	4347	4370	
IO-360-B1D (25°,180HP)	4347	4342	
IO-360-B1E (25°,180HP)	4373	4370; 4373	
IO-360-B1F (25°,180HP)	4373	4373	
IO-360-B1F6 (25°,180HP)	4371	4370; 4371	
IO-360-B2E-nd (25°,180HP)	4373	4373	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-13	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
IO-360-B2E-wd (25°, 180HP)	4373	4373	
IO-360-B2F (25°, 180HP)	4373	4373	
IO-360-B2F6 (25°, 180HP)	4373	4373	
IO-360-B4A (25°, 180HP)	4373	4370; 4373	
IO-360-C1A (20°, 200HP)	4345	4370	1
IO-360-C1B (20°, 200HP)	4345	4370	1
IO-360-C1C (20°, 200HP)	4372	4370; 4372	
IO-360-C1C6 (20°, 200HP)	4372	4370; 4372	
IO-360-C1C6 (25°, 200HP)	4373	4370; 4373	
IO-360-C1D6 (20°, 200HP)	4372	4370; 4372	
IO-360-C1D6 (25°, 200HP)	4373	4370; 4373	
IO-360-C1E6 (20°, 200HP)	4372	4370; 4372	
IO-360-C1E6 (25°, 200HP)	4373	4370; 4373	
IO-360-C1F (20°, 200HP)	4372	4370; 4372	
IO-360-C1F (25°, 200HP)	4373	4370; 4373	
IO-360-D1A (20°, 200HP)	4345	4370	1
IO-360-E1A (25°, 180HP)	4347	4370	
IO-360-F1A (25°, 180HP)	4373	4370; 4373	
IO-360-K2A (20°, 200HP)	4372	4370; 4372	
IO-540-A1A5 (20°, 290HP)	6393	6350	
IO-540-AA1A5 (20°, 270HP)	6393	6350	
IO-540-AA1B5 (20°, 270HP)	6361	6360	
IO-540-AB1A5 (23°, 230HP)	6351	6351	
IO-540-AC1A5 (20°, 300HP)	6351	6351	
IO-540-B1A5 (20°, 290HP)	6393	6350	
IO-540-B1C5 (20°, 290HP)	6393	6350	
IO-540-C1B5 (25°, 250HP)	6393	6350	
IO-540-C1C5 (25°, 250HP)	6393	6350	
IO-540-C2C (25°, 250HP)	6355	6350; 6355	
IO-540-C4B5 (25°, 250HP)	6393	6350	
IO-540-C4C5 (25°, 250HP)	6393	6350	
IO-540-D4A5 (25°, 260HP)	6393	6350	
IO-540-D4B5 (25°, 260HP)	6351	6350; 6351	
IO-540-D4C5 (25°, 260HP)	6393	6350	
IO-540-E1A5 (20°, 290HP)	6393	6350	
IO-540-E1B5 (20°, 290HP)	6393	6350	
IO-540-G1A5 (20°, 290HP)	6393	6350	
IO-540-G1B5 (20°, 290HP)	6393	6350	
IO-540-G1C5 (20°, 290HP)	6351	6350; 6351	
IO-540-G1D5 (20°, 290HP)	6351	6371	
IO-540-G1E5 (20°, 290HP)	6351; 6393	6371; 6350	
IO-540-G1F5 (20°, 290HP)	6351	6351	
IO-540-J4A5 (25°, 250HP)	6393	6350	
IO-540-K1A5 (20°, 300HP)	6351	6350; 6351	
IO-540-K1B5 (20°, 300HP)	6351	6371; 6351; 6350	
IO-540-K1C5 (20°, 300HP)	6351; 6393	6350; 6351	
IO-540-K1D5 (20°, 300HP)	6393	6350	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-14	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
IO-540-K1E5 (20°,300HP)	6351	6351	
IO-540-K1F5 (20°,300HP)	6393	6350	
IO-540-K1G5 (20°,300HP)	6351	6350; 6351	
IO-540-K1H5 (20°,300HP)	6351	6350; 6351	
IO-540-K1J5 (20°,300HP)	6393	6350	
IO-540-K1K5 (20°,300HP)	6351	6350; 6351	
IO-540-L1A5 (20°,300HP)	6351	6350; 6351	
IO-540-L1C5 (20°,300HP)	6351	6350; 6351	
IO-540-M1A5 (20°,300HP)	6393	6350	
IO-540-N1A5 (25°,260HP)	6393	6350	
IO-540-P1A5 (20°,290HP)	6393	6350	
IO-540-R1A5 (25°,260HP)	6393	6350	
IO-540-S1A5 (20°,300HP)	6393	6350; 6371	
LIO-320-B1A (25°,160HP)	4330	4330	
LIO-320-C1A (25°,160HP)	4330	4330	
LIO-360-C1E6 (20°,200HP)	4330	4302	
LIO-360-C1E6 (25°,200HP)	4374	4302	
LTIO-540-J2B (20°,350HP)	6394	6340	
O-235-C1 (25°,115HP)	4373	4370; 4373	
O-235-C1B (25°,115HP)	4347	4370	
O-235-C1C (25°,115HP)	4371	4370; 4371	
O-235-C2A (25°,115HP)	4373	4370; 4373	
O-235-C2B (25°,115HP)	4373	4370; 4373	
O-235-C2C (25°,115HP)	4371	4370; 4371	
O-235-E1 (25°,115HP)	4371	4370; 4371	
O-235-E2A (25°,115HP)	4373	4370; 4373	
O-235-E2B (25°,115HP)	4371	4370; 4371	
O-235-F1 (25°,125HP)	4371	4370; 4371	
O-235-F1B (25°,125HP)	4347	4370	
O-235-F2A (25°,125HP)	4373	4370; 4373	
O-235-F2B (25°,125HP)	4373	4370; 4373	
O-235-G1 (25°,125HP)	4373	4370; 4373	
O-235-G2A (25°,125HP)	4373	4370; 4373	
O-235-G2B (25°,125HP)	4371	4370; 4371	
O-235-H2C (25°,115HP)	4371	4370; 4371	
O-235-J2A (25°,125HP)	4373	4370; 4373	
O-235-J2B (25°,125HP)	4371	4370; 4371	
O-235-K2A (20°,118HP)	4372	4370; 4372	
O-235-K2B (20°,118HP)	4372	4370; 4372	
O-235-K2C (20°,118HP)	4372	4370; 4372	
O-235-L2A (20°,118HP)	4372	4370; 4372	
O-235-L2C (20°,118HP)	4381; 4372	4370; 4381; 4372	
O-235-M1 (20°,118HP)	4372	4370; 4372	
O-235-M2C (20°,118HP)	4372	4370; 4372	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-15	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
O-235-N2A (20°,116HP)	4372	4370; 4372	
O-235-N2C (20°,116HP)	4381; 4372; 4371	4381; 4370; 4372; 4371	
O-235-P1 (20°,116HP)	4372	4370; 4372	
O-235-P2A (20°,116HP)	4372	4342	
O-290-D (20°,125HP)	4373	4370; 4373	
O-290-D2 (18°,135HP)	4372	4370; 4372	
O-320-A1A (25°,150HP)	4371	4370; 4371	
O-320-A1B (25°,150HP)	4373	4370; 4373	
O-320-A2A (25°,150HP)	4373	4370; 4373	
O-320-A2B (25°,150HP)	4373	4370; 4373; 4342	
O-320-A2C (25°,150HP)	4347	4370	
O-320-A2D (25°,150HP)	4371	4370; 4371	
O-320-A3A (25°,150HP)	4373	4370; 4373	
O-320-A3B (25°,150HP)	4373	4370; 4373	
O-320-A3C (25°,150HP)	4347	4370	
O-320-B1A (25°,160HP)	4347	4370; 4347	
O-320-B1B (25°,160HP)	4373	4370; 4347	
O-320-B2A (25°,160HP)	4373	4370; 4373	
O-320-B2B (25°,160HP)	4373	4370; 4373	
O-320-B2C (25°,160HP)	4347	4342	
O-320-B2D (25°,160HP)	4347	4370	
O-320-B3A (25°,160HP)	4373	4370; 4373	
O-320-B3B (25°,160HP)	4373	4370; 4373	
O-320-B3C (25°,160HP)	4347	4370	
O-320-C1A (25°,150HP)	4373	4370; 4373	
O-320-C1B (25°,150HP)	4373	4370; 4373	
O-320-C2A (25°,150HP)	4373	4370	
O-320-C2B (25°,150HP)	4373	4370; 4373	
O-320-C2C (25°,150HP)	4373	4370; 4373	
O-320-C3A (25°,150HP)	4373	4370; 4373	
O-320-C3B (25°,150HP)	4373	4370; 4373	
O-320-C3C (25°,150HP)	4373	4370; 4373	
O-320-D1A (25°,150HP)	4373	4370; 4373; 4342	
O-320-D1A (25°,160HP)	4373	4370; 4373; 4342	
O-320-D1C (25°,150HP)	4373	4370; 4373	
O-320-D1C (25°,160HP)	4373	4370; 4373	
O-320-D1D (25°,150HP)	4371	4370; 4371	
O-320-D1D (25°,160HP)	4371	4370; 4371	
O-320-D1F (25°,150HP)	4373	4370; 4373	
O-320-D1F (25°,160HP)	4373	4370; 4373	
O-320-D2A (25°,150HP)	4373	4370; 4373	
O-320-D2A (25°,160HP)	4373	4370; 4373	
O-320-D2B (25°,150HP)	4347	4370	
O-320-D2B (25°,160HP)	4347	4370	
O-320-D2C (25°,150HP)	4373	4370; 4373	
O-320-D2C (25°,160HP)	4373	4370; 4373	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-16	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
O-320-D2F (25°, 150HP)	4373	4370; 4373	
O-320-D2F (25°, 160HP)	4373	4370; 4373	
O-320-D2G (25°, 150HP)	4371	4370; 4371	
O-320-D2G (25°, 160HP)	4371	4370; 4371	
O-320-D2H (25°, 150HP)	4371	4370; 4371	
O-320-D2H (25°, 160HP)	4371	4370; 4371	
O-320-D2J (25°, 150HP)	4371	4371	
O-320-D2J (25°, 160HP)	4371	4371	
O-320-D3G (25°, 150HP)	4371	4370; 4371	
O-320-D3G (25°, 160HP)	4371	4370; 4371	
O-320-E1A (25°, 150HP)	4373	4370; 4373	
O-320-E1C (25°, 150HP)	4373	4370; 4373	
O-320-E1F (25°, 150HP)	4373	4370; 4373	
O-320-E1J (25°, 150HP)	4371	4370; 4371	
O-320-E2A (25°, 140HP)	4373	4370; 4373	
O-320-E2A (25°, 150HP)	4373	4370; 4373	
O-320-E2B (25°, 150HP)	4347	4370	
O-320-E2C (25°, 140HP)	4373	4370; 4373	
O-320-E2C (25°, 150HP)	4373	4370; 4373	
O-320-E2D (25°, 150HP)	4371	4370; 4371	
O-320-E2F (25°, 150HP)	4373	4370; 4373	
O-320-E2G (25°, 150HP)	4371	4370; 4371	
O-320-E2H (25°, 150HP)	4373	4370; 4373	
O-320-E3D (25°, 150HP)	4371	4370; 4371	
O-320-E3H (25°, 150HP)	4373	4370; 4373	
O-360-A1A-nd (25°, 180HP)	4373	4370; 4373	
O-360-A1A-wd (25°, 180HP)	4373	4370; 4373	
O-360-A1D (25°, 180HP)	4347	4370	
O-360-A1F (25°, 180HP)	4373	4353	
O-360-A1F6 (25°, 180HP)	4373	4370; 4373	
O-360-A1G (25°, 180HP)	4373	4370; 4373	
O-360-A1G6 (25°, 180HP)	4373	4370; 4373	
O-360-A1H (25°, 180HP)	4373	4370; 4373	
O-360-A1H6 (25°, 180HP)	4373	4370; 4373	
O-360-A2A (25°, 180HP)	4373	4370; 4373	
O-360-A2D (25°, 180HP)	4347	4342; 4370	
O-360-A2F (25°, 180HP)	4373	4370; 4373	
O-360-A2G (25°, 180HP)	4373	4370; 4373	
O-360-A2H (25°, 180HP)	4371	4370; 4371	
O-360-A3A (25°, 180HP)	4373	4370; 4373	
O-360-A4A (25°, 180HP)	4373	4370; 4373	
O-360-A4G (25°, 180HP)	4373	4370; 4373	
O-360-A4J (25°, 180HP)	4373	4370; 4373	
O-360-A4K (25°, 180HP)	4371	4370; 4371	
O-360-A4M (25°, 180HP)	4371	4370; 4371	
O-360-A4N (25°, 180HP)	4371	4371	
O-360-B1A (25°, 168HP)	4371	4370; 4371	

MAGNETO APPLICATION

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-17	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
O-360-B2A (25°,168HP)	4373	4370; 4373	
O-360-C1A (25°,180HP)	4373	4370; 4373	
O-360-C1C (25°,180HP)	4347	4370	
O-360-C1E (25°,180HP)	4371	4370; 4371	
O-360-C1F (25°,180HP)	4371	4370; 4371	
O-360-C1G (25°,180HP)	4373	4370; 4373	
O-360-C2A (25°,180HP)	4373	4370; 4373	
O-360-C2B (25°,180HP)	4371	4370; 4371	
O-360-C2C (25°,180HP)	4347	4370	
O-360-C2E (25°,180HP)	4371	4370; 4371	
O-360-D1A (25°,168HP)	4371	4370; 4371	
O-360-D2A (25°,168HP)	4373	4370; 4373	
O-360-F1A6 (25°,180HP)	4371	4371	
O-360-G1A6 (25°,180HP)	4371	4371	
O-540-A1A (25°,250HP)	6355	6350; 6355	
O-540-A1A5 (25°,250HP)	6355	6350; 6355	
O-540-A1B5 (25°,250HP)	6355; 6393	6355; 6350	
O-540-A1C5 (25°,250HP)	6355	6355	
O-540-A1D (25°,250HP)	6393	6350	
O-540-A1D5 (25°,250HP)	6393; 6355	6350; 6355	
O-540-A2B (25°,250HP)	6355	6350; 6355	
O-540-A3D5 (25°,250HP)	6393	6350	
O-540-A4A5 (25°,250HP)	6355	6350; 6355	
O-540-A4B5 (25°,250HP)	6355	6355	
O-540-A4D5 (25°,250HP)	6393	6350	
O-540-B1A5 (25°,235HP)	6393	6350	
O-540-B2A5 (25°,235HP)	6393	6350	
O-540-B2B5 (25°,235HP)	6355	6350; 6355	
O-540-B2B5-wd (25°,235HP)	6355	6350; 6355	
O-540-B2C5 (25°,235HP)	6351	6350; 6351	
O-540-B2C5-wd (25°,235HP)	6355	6350; 6355	
O-540-B4B5 (25°,235HP)	6355	6350; 6355	
O-540-B4B5-wd (25°,235HP)	6355	6350; 6355	
O-540-D1A5 (25°,250HP)	6393	6350	
O-540-E4A5 (25°,260HP)	6393	6350	
O-540-E4B5 (25°,260HP)	6355	6350; 6355	
O-540-E4B5-wd (25°,260HP)	6355	6350; 6355	
O-540-E4C5 (25°,260HP)	6351	6371; 6350; 6351	
O-540-F1B5 (25°,260HP)	6393	6390	
O-540-G1A5 (25°,260HP)	6351	6350; 6351	
O-540-G1A5-wd (25°,260HP)	6351	6350; 6351	
O-540-G2A5 (25°,260HP)	6351	6350; 6351	
O-540-G2A5-wd (25°,260HP)	6351	6350; 6351	
O-540-H2A5 (25°,260HP)	6355	6350	
O-540-J3A5 (23°,235HP)	6351	6350; 6351	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-18	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Left Magneto Model	Right Magneto Model	Notes
TIO-540-A2B (20°,310HP)	6363	6360	
TIO-540-A2C (20°,310HP)	6363	6360	
TIO-540-AE2A (20°,350HP)	6361	6360	
TIO-540-AF1A (20°,270HP)	6361	6360	
TIO-540-AG1A (20°,270HP)	6361	6360	
TIO-540-J2B (20°,350HP)	6363	6360	
TIO-540-U2A (20°,350HP)	6360	6361	
TIO-540-W2A (20°,350HP)	6361	6360	
TIO-540-W2B (20°,350HP)	6360	6361	

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
4-19/(4-20 Blank)	G

